

9641 Bellefontaine Road
St. Louis County, Missouri 63137
Office: 314-867-0076
Fax: 314-867-1790



FROM THE OFFICE OF THE
BUILDING DEPARTMENT

September 4, 2020

To Whom It May Concern:

On February 3, 2011, the City of Bellefontaine Neighbors adopted and enforces the following codes from the IBC 2009 for roofing replacement. A Roof Permit is also a requirement and strictly enforced for roofing replacement in Bellefontaine Neighbors. The permit cost is \$60.

[International Building Code \[2009 \(Sixth Printing\) \]](#)

[Chapter 15 - Roof Assemblies and Rooftop Structures](#)

1507.1 Scope. Roof coverings shall be applied in accordance with the applicable provisions of this section and the manufacturer's installation instructions.

1507.2 Asphalt shingles. The installation of asphalt shingles shall comply with the provisions of this section.

1507.2.9.3 Drip edge. Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 2 inches (51 mm). Eave drip edges shall extend 1/4 inch (6.4 mm) below sheathing and extend back on the roof a minimum of 2 inches (51 mm). Drip edge shall be mechanically fastened a maximum of 12 inches (305 mm) o.c.

1507.2.8.2 Ice barrier. In areas where there has been a history of ice forming along the eaves causing a backup of water, an ice barrier that consists of at least two layers of underlayment cemented together or of a self-adhering polymer modified bitumen sheet shall be used in lieu of normal underlayment and extend from the lowest edges of all roof surfaces to a point at least 24 inches (610 mm) inside the *exterior wall* line of the building.

If you have any questions, please contact the Building Department at 314 867-0076.

Sincerely,

A handwritten signature in black ink, appearing to read "Joe Raben". The signature is written in a cursive style with a long horizontal line extending to the right.

Joe Raben
Building Inspector